

APPLICATION DATA SHEET

APPLICATION INFORMATION

Application Number::	
Filing Date::	05/26/06
Application type::	Regular
Subject Matter::	Utility
Title::	Diesel Engine EGR Control Device and Motor Drive Type Throttle Valve Device
Attorney Docket No.::	056208.57791US
Request for Early Publication?::	No
Request for Non-Publication?::	No
Suggested Drawing Figure::	1
Total Drawing Sheets::	41
Small Entity?::	No
Petition included?::	No

APPLICANT INFORMATION

Applicant one Authority Type::	Inventor
Primary Citizenship Country::	Japan
Status::	Full Capacity
Given name::	Yasuhisa
Family name::	UCHIYAMA
City of Residence::	Hitachinaka
Country of Residence::	Japan
Street of mailing address::	c/o Hitachi, Ltd
City of mailing address::	6-1, Marunouchi 1-chome
State or Province of mailing address::	Chiyoda-ku, Tokyo
Country of mailing address::	Japan
Postal or Zip Code of mailing address::	100-8220

Applicant two Authority Type::	Inventor
Primary Citizenship Country::	Japan
Status::	Full Capacity
Given name::	Yasuhiro
Family name::	KAMIMURA
City of Residence::	Hitachinaka
Country of Residence::	Japan
Street of mailing address::	c/o Hitachi, Ltd
City of mailing address::	6-1, Marunouchi 1-chome
State or Province of mailing address::	Chiyoda-ku, Tokyo
Country of mailing address::	Japan
Postal or Zip Code of mailing address::	100-8220

CORRESPONDENCE INFORMATION

Correspondence customer number:: 23911

REPRESENTATIVE INFORMATION

Representative customer number:: 23911

DOMESTIC PRIORITY INFORMATION

Application::	Continuity Type::	Parent Application::	Parent Filing Date::
This application is a	371(c) U.S. National Phase claiming priority to	PCT/JP2003/015271	11/28/2003

FOREIGN PRIORITY INFORMATION

Country::	Application Number::	Filing Date::	Priority Claimed::

ASSIGNEE INFORMATION

Assignee Name:: Hitachi, Ltd.
Street of mailing address:: 6-6, Marunouchi 1-chome
City of mailing address:: Chiyoda-ku
State or Province of Mailing Address:: Toyko
Country of Mailing Address:: Japan
Postal or Zip Code of mailing address:: 100-8280